acron®
HARDWARE COMPANY

Glass Railing Profiles

Aluminium top rails & base shoes, SS 304 spigots and connectors

75 PRODUCTS · EDITION 2026



acronhardwarecompany.com +91 98101 93200 · sales@acronhardwarecompany.com

CONTENTS

Glass Railing Profiles

Glass Railing Profiles **3**
Top Rails / Handrails 3
Base Shoes / Bottom Channels 6
Spigots & Railing Accessories 11

HOW TO ORDER

Quote any SKU on WhatsApp **+91 98101 93200** — share the code, finish and quantity. Full specifications, drawings and single-page technical data sheets for every product are at **acronhardwarecompany.com**. Specifications may change without notice; confirm critical dimensions before fabrication.



Glass Railing Profiles

Extruded aluminium top rails and base shoes for frameless glass balustrades, plus SS spigots and connectors.

75 products in 3 groups

Top Rails / Handrails



ACR-RP-3498

Top Rail Profile – Sec. 3498

Material	Aluminium
Weight/12 ft	4.18–4.58 kg
Dimensions	Ø51.00, 47.57, 23.00
Finishes	Mill Finish Aluminium
Section No.	3498



ACR-RP-3539

Top Rail Profile – Sec. 3539

Material	Aluminium
Weight/12 ft	1.8–2.1 kg
Dimensions	48.0, 1.00, 24.0, 24.0
Finishes	Mill Finish Aluminium
Section No.	3539



ACR-RP-3923

Top Rail Profile – Sec. 3923

Material	Aluminium
Weight/12 ft	3.3–3.5 kg
Dimensions	40.00, 40.00, 1.60, 20.00
Finishes	Mill Finish Aluminium
Section No.	3923



ACR-RP-3925

Top Rail Profile – Sec. 3925

Material	Aluminium
Weight/12 ft	4.2-4.5 kg
Dimensions	1.60, 35.00, 26.90, 60.00
Finishes	Mill Finish Aluminium
Section No.	3925



ACR-RP-4087

Top Rail Profile – Sec. 4087

Material	Aluminium
Weight/12 ft	3.45-3.65 kg
Dimensions	25.00, 30.10, 5.40
Finishes	Mill Finish Aluminium
Section No.	4087



ACR-RP-4332

Top Rail Profile – Sec. 4332

Material	Aluminium
Weight/12 ft	1.85-2.1 kg
Dimensions	25.10, 1.50, 25.10, 18.30
Finishes	Mill Finish Aluminium
Section No.	4332



ACR-RP-4336

Top Rail Profile – Sec. 4336

Material	Aluminium
Weight/12 ft	3.2-3.45 kg
Dimensions	52.30, 1.60, 36.25, 1.40
Finishes	Mill Finish Aluminium
Section No.	4336



ACR-RP-4349

Top Rail Profile – Sec. 4349

Material	Aluminium
Weight/12 ft	2.82-3 kg
Dimensions	Ø49.74, 1.38, 47.41, 1.30, 20.40
Finishes	Mill Finish Aluminium



ACR-RP-4369

Top Rail Profile – Sec. 4369

Material	Aluminium
Weight/12 ft	4.12-4.3 kg
Dimensions	51.20, 1.55, 51.20, 19.90
Finishes	Mill Finish Aluminium
Section No.	4369



ACR-RP-4399

Top Rail Profile – Sec. 4399

Material	Aluminium
Weight/12 ft	15.6-16.15 kg
Dimensions	64.10, 74.11, Ø6.00, 21.50
Finishes	Mill Finish Aluminium
Section No.	4399



ACR-RP-4407

Top Rail Profile – Sec. 4407

Material	Aluminium
Weight/12 ft	7-7.35 kg
Dimensions	36.20, 4.80, 5.20, 41.90, Ø5.00, 20.10
Finishes	Mill Finish Aluminium



ACR-RP-4408

Top Rail Profile – Sec. 4408

Material	Aluminium
Weight/12 ft	1.9-2.1 kg
Dimensions	25.30, 1.30, 25.50, 19.10
Finishes	Mill Finish Aluminium
Section No.	4408



ACR-RP-4641

Top Rail Profile – Sec. 4641

Material	Aluminium
Weight/12 ft	15.25–15.5 kg
Dimensions	75.09, 65.34, 5.00, Ø5.00, 21.76
Finishes	Mill Finish Aluminium



ACR-RP-4642

Top Rail Profile – Sec. 4642

Material	Aluminium
Weight/12 ft	4.94–5.2 kg
Dimensions	64.14, 1.70, 44.04, Ø4.00, 19.40
Finishes	Mill Finish Aluminium



ACR-RP-4683

Top Rail Profile – Sec. 4683

Material	Aluminium
Weight/12 ft	4.5–4.7 kg
Dimensions	50.00, 2.40, 1.36, 1.40, 50.00, 20.20
Finishes	Mill Finish Aluminium



ACR-RP-4690

Top Rail Profile – Sec. 4690

Material	Aluminium
Weight/12 ft	3.83–4 kg
Dimensions	70.20, 30.20, Ø3.50, 1.60, 20.20
Finishes	Mill Finish Aluminium



ACR-RP-4702

Top Rail Profile – Sec. 4702

Material	Aluminium
Weight/12 ft	7.57–7.82 kg
Dimensions	44.57, 50.62, 3.93, Ø5.00
Finishes	Mill Finish Aluminium
Section No.	4702



ACR-RP-4763

Top Rail Profile – Sec. 4763

Material	Aluminium
Weight/12 ft	12.5–12.9 kg
Dimensions	53.00, 6.10, 63.85, 63.70, 19.80
Finishes	Mill Finish Aluminium



ACR-RP-4863

Top Rail Profile – Sec. 4863

Material	Aluminium
Weight/12 ft	4.13–4.38 kg
Dimensions	60.00, 1.50, 24.00
Finishes	Mill Finish Aluminium
Section No.	4863



ACR-RP-5143

Top Rail Profile – Sec. 5143

Material	Aluminium
Weight/12 ft	2.82–3.07 kg
Dimensions	90.00, 17.50, 1.30
Finishes	Mill Finish Aluminium
Section No.	5143



ACR-RP-5178

Top Rail Profile – Sec. 5178

Material	Aluminium
Weight/12 ft	5.27–5.52 kg
Dimensions	54.40, 2.00, 57.00
Finishes	Mill Finish Aluminium
Section No.	5178



ACR-RP-5205

Top Rail Profile – Sec. 5205

Material	Aluminium
Weight/12 ft	3.65–3.9 kg
Dimensions	50.00, 50.00, 1.50, 17.90
Finishes	Mill Finish Aluminium
Section No.	5205



ACR-RP-5206

Top Rail Profile – Sec. 5206

Material	Aluminium
Weight/12 ft	2.83–3.08 kg
Dimensions	40.00, 40.00, 1.50, 17.90
Finishes	Mill Finish Aluminium
Section No.	5206



ACR-RP-5209

Top Rail Profile – Sec. 5209

Material	Aluminium
Weight/12 ft	10.8–11.22 kg
Dimensions	61.00, 68.20, 5.00, 16.90
Finishes	Mill Finish Aluminium
Section No.	5209



ACR-RP-5210

Top Rail Profile – Sec. 5210

Material	Aluminium
Weight/12 ft	6.36–6.61 kg
Dimensions	48.80, 54.56, 4.00, 17.10
Finishes	Mill Finish Aluminium
Section No.	5210

Base Shoes / Bottom Channels



ACR-RP-2884

Base Shoe Profile – Sec. 2884

Material	Aluminium
Weight/12 ft	1.1–1.35 kg
Dimensions	10.00, 30.10, 1.5, 19.50
Finishes	Mill Finish Aluminium
Section No.	2884



ACR-RP-2885

Base Shoe Profile – Sec. 2885

Material	Aluminium
Weight/12 ft	2–2.3 kg
Dimensions	34.5, 2.8, 4.9, 25.0
Finishes	Mill Finish Aluminium
Section No.	2885



ACR-RP-3497

Base Shoe Profile – Sec. 3497

Material	Aluminium
Weight/12 ft	10.7–11.2 kg
Dimensions	13.00, 2.44, 71.00, 56.00
Finishes	Mill Finish Aluminium
Section No.	3497



ACR-RP-3535

Base Shoe Profile – Sec. 3535

Material	Aluminium
Weight/12 ft	5.6-6.3 kg
Dimensions	17.5, 2.4, 60.0, 40.0
Finishes	Mill Finish Aluminium
Section No.	3535



ACR-RP-3536

Base Shoe Profile – Sec. 3536

Material	Aluminium
Weight/12 ft	3.65-4.1 kg
Dimensions	14.0, 44.0, 2.0, 40.0
Finishes	Mill Finish Aluminium
Section No.	3536



ACR-RP-3665

Base Shoe Profile – Sec. 3665

Material	Aluminium
Weight/12 ft	3.075-3.35 kg
Dimensions	8.50, 33.0, 21.80
Finishes	Mill Finish Aluminium
Section No.	3665



ACR-RP-3666

Base Shoe Profile – Sec. 3666

Material	Aluminium
Weight/12 ft	3.2-3.5 kg
Dimensions	8.2, 38.0, 27.0
Finishes	Mill Finish Aluminium
Section No.	3666



ACR-RP-3667

Base Shoe Profile – Sec. 3667

Material	Aluminium
Weight/12 ft	0.55-0.6 kg
Dimensions	37.80, 1.0, 10.00
Finishes	Mill Finish Aluminium
Section No.	3667



ACR-RP-4088

Base Shoe Profile – Sec. 4088

Material	Aluminium
Weight/12 ft	10.75-11.1 kg
Dimensions	23.10, 72.70, 1.80, 55.60
Finishes	Mill Finish Aluminium
Section No.	4088



ACR-RP-4127

Base Shoe Profile – Sec. 4127

Material	Aluminium
Weight/12 ft	14-14.6 kg
Dimensions	215.00, 15.00, 4.00, 51.00, 4.00, 3.00
Finishes	Mill Finish Aluminium



ACR-RP-4128

Base Shoe Profile – Sec. 4128

Material	Aluminium
Weight/12 ft	5.85-6.15 kg
Dimensions	2.50, 36.00, 122.50
Finishes	Mill Finish Aluminium
Section No.	4128



ACR-RP-4131

Base Shoe Profile – Sec. 4131

Material	Aluminium
Weight/12 ft	5.15-5.35 kg
Dimensions	2.20, 59.24, 36.00, 2.20, 94.29, 125.00
Finishes	Mill Finish Aluminium



ACR-RP-4273

Base Shoe Profile – Sec. 4273

Material	Aluminium
Weight/12 ft	1.95–6.28 kg
Dimensions	25.76, 7.20, 101.01, 1.50, 2.80
Finishes	Mill Finish Aluminium



ACR-RP-4274

Base Shoe Profile – Sec. 4274

Material	Aluminium
Weight/12 ft	10.05–10.3 kg
Dimensions	6.00, 3.80, 95.60, 33.30
Finishes	Mill Finish Aluminium
Section No.	4274



ACR-RP-4275

Base Shoe Profile – Sec. 4275

Material	Aluminium
Weight/12 ft	14.8–15.4 kg
Dimensions	15.02, 100.49, 7.85, 63.70
Finishes	Mill Finish Aluminium
Section No.	4275



ACR-RP-4330

Base Shoe Profile – Sec. 4330

Material	Aluminium
Weight/12 ft	2.2–2.4 kg
Dimensions	40.10, 13.00, 40.10, 1.00, 1.70, 35.10
Finishes	Mill Finish Aluminium



ACR-RP-4331

Base Shoe Profile – Sec. 4331

Material	Aluminium
Weight/12 ft	5.95–6.25 kg
Dimensions	13.00, 59.80, Ø3.80, 45.03
Finishes	Mill Finish Aluminium
Section No.	4331



ACR-RP-4337

Base Shoe Profile – Sec. 4337

Material	Aluminium
Weight/12 ft	4.1–4.3 kg
Dimensions	33.84, 1.40, 65.40
Finishes	Mill Finish Aluminium
Section No.	4337



ACR-RP-4338

Base Shoe Profile – Sec. 4338

Material	Aluminium
Weight/12 ft	19.3–19.8 kg
Dimensions	44.90, 30.39, 120.11, 45.30
Finishes	Mill Finish Aluminium



ACR-RP-4339

Base Shoe Profile – Sec. 4339

Material	Aluminium
Weight/12 ft	11.7–12.5 kg
Dimensions	36.30, 4.31, 5.70, 86.90, 36.60
Finishes	Mill Finish Aluminium



ACR-RP-4395

Base Shoe Profile – Sec. 4395

Material	Aluminium
Weight/12 ft	8.3–8.65 kg
Dimensions	13.90, 71.30, 1.70, 56.90
Finishes	Mill Finish Aluminium
Section No.	4395



ACR-RP-4604

Base Shoe Profile – Sec. 4604

Material	Aluminium
Weight/12 ft	4.4-4.6 kg
Dimensions	25.00, 1.60, 46.10, 46.10
Finishes	Mill Finish Aluminium
Section No.	4604



ACR-RP-4606

Base Shoe Profile – Sec. 4606

Material	Aluminium
Weight/12 ft	12.87-13.1 kg
Dimensions	14.50, 114.40, 1.80, 4.50, 78.66
Finishes	Mill Finish Aluminium



ACR-RP-4607

Base Shoe Profile – Sec. 4607

Material	Aluminium
Weight/12 ft	10.53-10.75 kg
Dimensions	40.00, 7.57, 80.30, 3.40
Finishes	Mill Finish Aluminium
Section No.	4607



ACR-RP-4667

Base Shoe Profile – Sec. 4667

Material	Aluminium
Weight/12 ft	6.8-7.1 kg
Dimensions	23.40, 1.50, 82.30, 18.90, 49.12
Finishes	Mill Finish Aluminium



ACR-RP-4668

Base Shoe Profile – Sec. 4668

Material	Aluminium
Weight/12 ft	1.15-1.3 kg
Dimensions	6.70, 1.11, 80.22, 11.62
Finishes	Mill Finish Aluminium
Section No.	4668



ACR-RP-4681

Base Shoe Profile – Sec. 4681

Material	Aluminium
Weight/12 ft	25.3-25.5 kg
Dimensions	29.70, 7.90, 129.20, 8.70, 9.90, 95.70
Finishes	Mill Finish Aluminium



ACR-RP-4714

Base Shoe Profile – Sec. 4714

Material	Aluminium
Weight/12 ft	17.6-17.9 kg
Dimensions	19.20, 7.40, 97.80, 3.20, 84.00
Finishes	Mill Finish Aluminium



ACR-RP-5110

Base Shoe Profile – Sec. 5110

Material	Aluminium
Weight/12 ft	6.165-6.415 kg
Dimensions	20.20, 54.20, 3.00, 48.30
Finishes	Mill Finish Aluminium
Section No.	5110



ACR-RP-5112

Base Shoe Profile – Sec. 5112

Material	Aluminium
Weight/12 ft	7.08-7.335 kg
Dimensions	19.87, 60.20, 3.95, 33.00
Finishes	Mill Finish Aluminium
Section No.	5112



ACR-RP-5179

Base Shoe Profile – Sec. 5179

Material	Aluminium
Weight/12 ft	9.56–9.81 kg
Dimensions	19.46, 2.00, 80.10, 2.00, 70.55
Finishes	Mill Finish Aluminium



ACR-RP-5197

Base Shoe Profile – Sec. 5197

Material	Aluminium
Weight/12 ft	25–25.5 kg
Dimensions	15.80, 99.80, 6.80, 55.80
Finishes	Mill Finish Aluminium
Section No.	5197



ACR-RP-5198

Base Shoe Profile – Sec. 5198

Material	Aluminium
Weight/12 ft	21.45–21.95 kg
Dimensions	13.90, 6.00, 100.40, 60.00
Finishes	Mill Finish Aluminium
Section No.	5198



ACR-RP-5222

Base Shoe Profile – Sec. 5222

Material	Aluminium
Weight/12 ft	0.6–0.85 kg
Dimensions	3.50, 15.33, 14.54, 17.23
Finishes	Mill Finish Aluminium
Section No.	5222



ACR-RP-5273

Base Shoe Profile – Sec. 5273

Material	Aluminium
Weight/12 ft	20.93–21.35 kg
Dimensions	21.50, 5.00, 106.00, 6.10, 100.00
Finishes	Mill Finish Aluminium



ACR-RP-5292

Base Shoe Profile – Sec. 5292

Material	Aluminium
Weight/12 ft	9.17–9.42 kg
Dimensions	22.67, Ø3.40, 2.20, 80.20, 2.20, 19.60
Finishes	Mill Finish Aluminium



ACR-RP-5344

Base Shoe Profile – Sec. 5344

Material	Aluminium
Weight/12 ft	13.98–14.43 kg
Dimensions	34.84, Ø3.00, 109.94, 30.24, 5.04, 54.97
Finishes	Mill Finish Aluminium



ACR-RP-5349

Base Shoe Profile – Sec. 5349

Material	Aluminium
Weight/12 ft	8.791–9.041 kg
Dimensions	5.10, 65.80, R1.80, 19.40, 71.00
Finishes	Mill Finish Aluminium



ACR-RP-5434

Base Shoe Profile – Sec. 5434

Material	Aluminium
Weight/12 ft	20.21–20.63 kg
Dimensions	30.39, 5°, 120.10, 26.87, 45.29
Finishes	Mill Finish Aluminium



ACR-RP-5475

Base Shoe Profile – Sec. 5475

Material	Aluminium
Weight/12 ft	6.91–7.16 kg
Dimensions	71.10, 41.00, Ø3.20, 12.00, 75.00, 1.60
Finishes	Mill Finish Aluminium



ACR-RP-5505

Base Shoe Profile – Sec. 5505

Material	Aluminium
Weight/12 ft	15.296–15.715 kg
Dimensions	27.03, 2.02, 115.34, 27.05, 55.11
Finishes	Mill Finish Aluminium

Spigots & Railing Accessories



SG-101

Round Spigot 4" – Floor to Glass Holder

Material	SS 304
Glass	10–12 mm
Dimensions	4" (100 mm) round
Finishes	SS Satin, SS Polish



SG-102

Round Spigot 9" – Floor to Glass Holder

Material	SS 304
Glass	10–12 mm
Dimensions	9" (225 mm) round
Finishes	SS Satin, SS Polish



SG-103

Square Spigot 4" – Floor to Glass Holder (Flat)

Material	SS 304
Glass	10–12 mm
Dimensions	4" (100 mm) square
Finishes	SS Satin



SG-104

Square Spigot 9" – Floor to Glass Holder

Material	SS 304
Glass	10–12 mm
Dimensions	9" (225 mm) square
Finishes	SS Satin



SG-105

Wall to Track Glass Connector

Material	SS 304
Finishes	SS Satin, SS Polish



SG-106

Wall to Handrail Connector

Material	SS 304
Finishes	SS Satin, SS Polish



SG-107

Glass to Handrail Connector

Material	SS 304
Finishes	SS Satin, SS Polish



SG-108

Handrail Stud (Without Plate)

Material	SS 304
Dimensions	45 × 45
Finishes	SS Satin, SS Polish



SG-109

Handrail Stud (With Plate)

Material	SS 304
Dimensions	45 × 45
Finishes	SS Satin, SS Polish

FINISHES

Finish range

SS Satin

SS Polish

Black Matt

Bright Gold Brush

Rose Gold Brush

Champagne Brush

Gold

Rose Gold

Epoxy Coated

Mirror (Brass)

Mill Finish Aluminium

HARDWARE COMPANY

ADDRESS
F-17, Shubhash Chowk, Laxmi Nagar, Delhi – 110092, India

SALES
WhatsApp / Call +91 98101 93200
sales@acronhardwarecompany.com
acronhardwarecompany.com

Manufacturer · Importer · Wholesaler · Distributor · Generated 2026-11-28 from the Acron product database.